Welcome to the TMC 2023 Doleco USA Press Conference



Welcome to the TMC 2023 Doleco USA Press Conference

Ralph Abato

President and Managing Director



4 Minutes and 54 Seconds vs. 13 Seconds







\$15.8 Million





Pre-platformed decking units that can save fleets millions!

Doleco's ConnectedDeck System





Doleco's ConnectedDeck System





Doleco's ConnectedDeck System





Doleco's ConnectedDeck Video





ConnectedDeck Basics

- Dry van and reefer applications
- Platforming time 13 seconds
- Boosts efficiency by 95%
- Will save fleets millions of dollars
- Requires no special tools
- Lifts itself to ceiling height
- Is quieter to operate
- Requires far less effort to operate
- Creates a better environment





ConnectedDeck Basics

- Dry van and reefer applications
- Platforming time 13 seconds
- Boosts efficiency by 95%
- Will save fleets millions of dollars
- Requires no special tools
- Lifts itself to ceiling height
- Is quieter to operate
- Requires far less effort to operate
- Creates a better environment





ConnectedDeck Basics

- Patented technology
- Two- or three-beam flexibility
- Tough, lightweight composite
- Easily adjusted by hand
- Stores at ceiling height
- No deck assembly required





- Two award-winning technologies
- Level Deck Self-Leveling Beams
- LayerLok XP Track





- Two award-winning technologies
- Level Deck Self-Leveling Beams
- LayerLok XP Track






- Two award-winning technologies
- Level Deck Self-Leveling Beams
- LayerLok XP Track





- Two award-winning technologies
- Level Deck Self-Leveling Beams
- LayerLok XP Track






- Uses common, available tools
- Dock hooks
- Pin pullers
- Eliminates missing tool problems





- Easily unlocks from either side
- Requires only a single pull
- Spring assistance prevents falls
- Easily positioned
- Locks in horizontal position






- Easily unlocks from either side
- Requires only a single pull
- Spring assistance prevents falls
- Easily positioned
- Locks in horizontal position





- Easily unlocks from either side
- Requires only a single pull
- Spring assistance prevents falls
- Easily positioned
- Locks in horizontal position





- All factors being equal
- A fleet with 1,000 trailers
- Saves \$15 million in labor alone
- Just by converting to our system
- Almost \$16 thousand per trailer

\$15.8 million per-year in labor alone!



- All factors being equal
- A fleet with 1,000 trailers
- Saves \$15 million in labor alone
- Just by converting to our system
- Almost \$16 thousand per trailer





- Plywood decking material is heavy
- A 4' x' 4' sheet of plywood weighs about 30.5 lbs. each (61 lbs. for a 4' x 8' deck)
- Prefabricated decking is even heavier
- Some 4' x' 4' prefabricated deck boards can weigh as much as 41 lbs. each (82 lbs. for a 4' x 8' deck)





- The entire 4' x 8' composite ConnectedDeck platform weighs only 21 lbs.
- That's a 40 lb. difference per 4' x 8' platform
- Saves 280 lbs. for 7 decks in a 28' trailer (vs. plywood)
- Saves 520 lbs. for 13 decks in a 53' trailer (vs. plywood)





- Compared to prefabricated decking the weight savings are greater
- There's a a 61 lb. difference per 4' x 8' platform
- Saves 427 lbs. for 7 decks in a 28' trailer (vs. prefabricated)
- Saves 793 lbs. for 13 decks in a 53' trailer (vs. prefabricated)
- ConnectedDeck panels stay in place





- Lean Six Sigma Black Belt
- Performed time studies
- Significant room for improvement
- Root cause analysis
- ConnectedDeck is the result





- Lean Six Sigma Black Belt
- Performed time studies
- Significant room for improvement
- Root cause analysis
- ConnectedDeck is the result

<u>Setup Timelapse</u>

<u>Return Timelapse</u>

Operational Interruptions







Metrics	
1,000	Active Trailers in Fleet
28	Trailer Length Ft
2	Configuration - Doubles
7	Beams per Trailer
519	Seconds Saved per Deck
500	Annual usage per Deck
504,583 Annual Hours Saved	
Labor	
\$ 31.50	\$ Per Hour
1,000	Active Trailers in fleet
7	Decks per trailer
519	Seconds saved / per deck
500	Annual usage / per deck
\$ 15,894,375	Annual Savings



- Beam and track often damaged
- Robust foot assemblies
- Withstand forklift encounters
- Prevents forklift "adjustments"






- Beam and track often damaged
- Robust foot assemblies
- Withstand forklift encounters
- Prevents forklift "adjustments"





- Others rely exclusively on rivets
- Rivets holes deform over time
- Tracks misalign and detach
- Beams chafe and jam
- We can eliminate rivets





- Others rely exclusively on rivets
- Rivets holes deform over time
- Tracks misalign and detach
- Beams chafe and jam
- We can eliminate rivets






- Others rely exclusively on rivets
- Rivets holes deform over time
- Tracks misalign and detach
- Beams chafe and jam
- We can eliminate rivets





- Structural-grade adhesive
- Proven in HD applications
- Used in Europe for 15 years
- Won't compromise trailer walls
- Can be removed without damage





Doleco's ConnectedDeck





Questions Please



Thank You!

